


Priority Principle™: Piriformis Syndrome



| Method | Dose | Notes |
|---|-----------------------------------|---|
|  Inflammation | 50 or 5-250 Hz | TARGET/DOSE – scanning |
|  Spasm | 1000 Hz x 2 minutes per spasm PRN | Pontinen's Principle - General utility probe |

Priority Principle™: Sacral Plexus Laser Block



| Method | Dose | Dose | Notes |
|---|---|--|--|
| <p>Constant room temp, 15 min rest prior</p>  <p>Pain</p> | <p>The sacral plexus is active release technique of the lumbosacral plexus and emerges from the sacral vertebrae (S2-S4).</p> | <p>3000 Hz scanning - 9 min (21.48 J/cm²)</p> <p>5000 Hz scanning - 7 min (21.48 J/cm²)</p> <p>----- OR -----</p> <p>1000, 3000 or 5000 Hz x 3 - 5 minutes</p> | <p>Systemic Treatment – Sacral Sympathetic Plexus Laser Block (shown)</p> <p>----- OR -----</p> <p>Local targets</p> |

Priority Principle™: Diagnosis/Condition



| Method | Dose | Notes |
|--|---|--|
|  | 250, 5-250 or 5-500 Hz for 2 minutes or - AND - 50 Hz x 5 minutes PHT | Local targets TARGET/DOSE (scanning) - AND - Systemic target - anterior through the abdomen |

