




Priority Principle™: Lumbar Radiculopathy




Priority	Principle	Frequency	Time
-2	<48 Hours (Acute Injury)	5-1000 Hz	3 Minutes

# of treatments					



Priority Principle™: Lumbar Radiculopathy




Priority	Principle	Frequency	Time
0	Pain (PRN)	(PRN)	
2nd	Inflammation	50, 5-250, 5-500 Hz	DOSE
3rd	Spasms	1000 Hz PRN (treat bilaterally if applicable)	Pontinen's Principle
4th (a)	Pain (Systemic)	Lumbar Sympathetic Plexus Laser Block	See Method (to be done bilaterally)
OR			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes

# of treatments					



Priority Principle™: Lumbar Radiculopathy (ALT)




Priority	Principle	Frequency	Time
0	Pain (PRN)	(PRN)	
2nd	Inflammation	50, 5-250, 5-500 Hz	DOSE
3rd	Spasms	1000 Hz PRN (treat bilaterally if applicable)	Pontinen's Principle
4th	(a) Pain (Systemic)	1000, or 1000-3000, 3000, 5000 Hz	1-2 minutes per segment, LaserShower preferred
	OR		
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes

# of treatments					



Priority Principle™: Lumbar Radiculopathy




Priority	Principle	Frequency	Time
5th	(a) Tissue Repair (Primary)	250, 5-250 or 5-500 Hz	DOSE
	and		
	(b) Tissue Repair (Secondary)	50 Hz PHT (Anterior through abdomen)	5 minutes

# of treatments					




Priority Principle™: Lumbar Radiculopathy



Priority	Principle	Frequency	Time
6th	ROM	1000, 3000 Hz	2-3 minutes

# of treatments					

Priority Principle™: Lumbar Radiculopathy



Priority	Principle	Frequency	Time
-2	<48 Hours (Acute Injury)	5-1000 Hz	3 Minutes
0	Pain (PRN)	(PRN)	
2nd	Inflammation	50, 5-250, 5-500 Hz	DOSE
3rd	Spasms	1000 Hz PRN (treat bilaterally if applicable)	Pontinen's Principle
4th (a)	Pain (Systemic)	Lumbar Sympathetic Plexus Laser Block	See Method (to be done bilaterally)
OR			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes
5th (a)	Tissue Repair (Primary)	500-1000 Hz	DOSE
and			
(b)	Tissue Repair (Secondary)	50 Hz PHT (Anterior through abdomen)	5 minutes
6th	ROM	1000, 3000 Hz	2-3 minutes

Priority Principle™: Triple Threat for Pain Relief

Priority	Principle	Frequency	Time
4th (a1) Nociceptive Pain	Lumbar Sympathetic Plexus Laser Block or Sacral Plexus Laser Block (treated contralateral side)	3000 Hz scanning	9 min (21.48 J/cm ²)
		5000 Hz scanning	7 min (21.48 J/cm ²)
4th (a2) Nociceptive Pain	Nerve Roots and Trunks, NRT scanning affected dermatome as indicated	1000, 1000-3000, 3000 or 5000 Hz	4 minutes each section scanning along the affected dermatome
4th (b) Inflammatory Pain	Pain (Local) for Inflammatory Pain	250, 5-250 or 5-500 Hz	DOSE

Pain Level	Nociceptive Setting	Inflammation Setting
1-3	1000 Hz	5-250
4-6	3000 Hz	250
7-10	5000 Hz	5-500

