



Priority Principle™: Chondromalacia




Priority	Principle	Frequency	Time
-1	General Stimulation (Systemic Conditions)	URP, or PHT (shown) 50 Hz PHT (popliteal artery)	3 min

# of treatments					




Priority Principle™: Chondromalacia



Priority	Principle	Frequency	Time
0	Pain (PRN)	(PRN)	
2nd	Inflammation	50 or 5-250 Hz	DOSE
4th (a)	Pain (Systemic)	1000 Hz NRT	See Method
OR			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes

# of treatments					

Priority Principle™: Chondromalacia




Priority	Principle	Frequency	Time
5th	(a) Tissue Repair (Primary)	250 Hz	DOSE
	and		
	(b) Tissue Repair (Secondary)	50 Hz PHT (popliteal artery)	5 minutes

# of treatments					




Priority Principle™: Chondromalacia



Priority	Principle	Frequency	Time
6th	ROM	1000, 3000 Hz	2-3 minutes

# of treatments					

Priority Principle™: Chondromalacia



Priority	Principle	Frequency	Time
-1	General Stimulation (Systemic Conditions)	URP, or PHT (shown to popliteal artery)	See method
0	Pain (PRN)	(PRN)	
2nd	Inflammation	5-250 Hz	DOSE
4th (a)	Pain (Systemic)	1000 Hz NRT	See Method
OR			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes
5th (a)	Tissue Repair (Primary)	250 Hz	DOSE
and			
(b)	Tissue Repair (Secondary)	50 Hz PHT	5 minutes
6th	ROM	1000, 3000 Hz	2-3 minutes

