



# Priority Principle™: Metatarsalgia




Method	Dose	Notes
	50 Hz x 2 minutes or TARGET/DOSE	
	500-1000 Hz for 3 minutes -----or 1000 Hz x 2-5 minutes	Systemic target (NRT) -----or Local targets

# Priority Principle™: Metatarsalgia




Method	Dose	Notes
	250 Hz for 2 minutes or TARGET/DOSE	Local targets: dorsal and plantar
	-----and	-----and
	50 Hz x 5 minutes	Systemic target (PHT) at Dorsalis Pedis artery

# Priority Principle™: Metatarsalgia



Method	Dose	Notes
	1000 Hz x 1 minute	@2-4 locations around the joint line both dorsal and plantar

# Priority Principle™: Metatarsalgia



	Method	Dose	Notes
	Inflammation	50 Hz x 2 minutes or TARGET/DOSE	
	Pain	500-1000 Hz for 3 minutes -----or 1000 Hz x 2-5 minutes	Systemic target (NRT) -----or Local targets
	Tissue Repair	250 Hz for 2 minutes or TARGET/DOSE -----and 50 Hz x 5 minutes	Local targets: dorsal and plantar -----and Systemic target (PHT) at Dorsalis Pedis artery
	ROM	1000 Hz x 1 minute	@2-4 locations around the joint line both dorsal and plantar