


Priority Principle™: Thoracic Outlet Syndrome




Priority	Principle	Frequency	Time
1st	Swelling	1000, 3000, 1000-3000 1-2 min per location	Oshiro's Principle, Proximal Priority Principle
2nd	Inflammation	5-250 Hz	DOSE
3rd	Spasms	1000 Hz PRN	Pontinen's Principle
4th (a)	Pain (Systemic)	1000 Hz NRT	See Method
OR			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes

of treatments

--	--	--	--	--	--

Priority Principle™: Thoracic Outlet Syndrome




Priority	Principle	Frequency	Time
5th	(a) Tissue Repair (Primary)	5-500 Hz	DOSE
	and		
	(b) Tissue Repair (Secondary)	50 Hz PHT @ <u>subclavian</u> artery	5 minutes

of treatments


--	--	--	--	--	--

Priority Principle™: Thoracic Outlet Syndrome



	Priority	Principle	Tendinitis	Time
	6th	ROM	1000, 3000 or 5000 Hz	1-2 minutes per point
	7th	Functional Strength	5-250 Hz	1-2 minutes per point

Priority Principle™: Thoracic Outlet Syndrome



Priority	Principle	Frequency	Time
1st	Swelling	1000, 3000, 1000-3000 1-2 min per location	Oshiro's Principle, Proximal Priority Principle
2nd	Inflammation	5-250 Hz	DOSE
3rd	Spasms	1000 Hz	Pontinen's Principle
4th (a)	Pain (Systemic)	1000 Hz NRT	See Method
OR			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes
5th (a)	Tissue Repair (Primary)	5-500 Hz	DOSE
and			
(b)	Tissue Repair (Secondary)	50 Hz PHT (Subclavian)	5 minutes
6th	ROM	1000, 3000 Hz	2-3 minutes
7th	5-250 Hz	1-2 minutes per point	

