



# Priority Principle™: Facet Sprain




Priority	Principle	Frequency	Time
-2	<48 Hours (Acute Injury)	5-1000 Hz	3 Minutes

# of treatments					



# Priority Principle™: Facet Sprain




Priority	Principle	Frequency	Time
0	Pain (PRN)	(PRN)	
2nd	Inflammation	50 Hz	DOSE
3rd	Spasms	1000 Hz PRN	Pontinen's Principle
4th (a)	Pain (Systemic)	Lumbar Sympathetic Plexus Laser Block	See Method
<b>OR</b>			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes

# of treatments					



# Priority Principle™: Facet Sprain




Priority	Principle	Frequency	Time
5th	(a) Tissue Repair (Primary)	250, 5-250 or 5-500 Hz	DOSE
	and		
	(b) Tissue Repair (Secondary)	50 Hz PHT (Anterior through abdomen)	5 minutes

# of treatments					




# Priority Principle™: Facet Sprain



Priority	Principle	Frequency	Time
6th	ROM	1000, 3000 Hz	2-3 minutes

# of treatments					

# Priority Principle™: Facet Sprain



Priority	Principle	Frequency	Time
-2	<48 Hours (Acute Injury)	5-1000 Hz	3 Minutes
0	Pain (PRN)	(PRN)	
2nd	Inflammation	50 Hz	DOSE
3rd	Spasms	1000 Hz	Pontinen's Principle
4th (a)	Pain (Systemic)	Lumbar Sympathetic Plexus Laser Block	See Method
OR			
(b)	Pain (Local)	1000, 3000 or 5000 Hz	3-5 minutes
5th (a)	Tissue Repair (Primary)	250, 5-250 or 5-500 Hz	DOSE
and			
(b)	Tissue Repair (Secondary)	50 Hz PHT (Anterior through abdomen)	5 minutes
6th	ROM	1000, 3000 Hz	2-3 minutes