

Priority Principle™: TMJ (unilateral)



Acute



Chronic



Swelling



Inflammation



Spasm




Pain




Tissue Repair



ROM




Functional Strength




Method	Dose	Notes
Acute	5-1000 Hz x 3 minutes	"Rescue"

Priority Principle™: TMJ (unilateral)




Method	Dose	Notes
Inflammation	50 Hz x 2 minutes or TARGET/DOSE	
Spasm	1000 Hz x 2 minutes per spasm	Pontinen's Principle
Pain	500-1000 Hz for 3 minutes -----or 1000 Hz x 2-5 minutes	Systemic target (NRT) -----or Local targets

Priority Principle™: TMJ (unilateral)




Method	Dose	Notes
Tissue Repair	250 Hz for 2 minutes or TARGET/DOSE	Local targets
	-----and	-----and
	50 Hz x 5 minutes	Systemic target (PHT) at Carotid artery

Priority Principle™: TMJ (unilateral)



Method	Dose	Notes
ROM	1000 Hz x 1 minute	@2-3 location around the joint line

Priority Principle™: TMJ (unilateral)



	Method	Dose	Notes
	Acute	5-1000 Hz x 3 minutes	"Rescue"
	Inflammation	50 Hz x 2 minutes or TARGET/DOSE	
	Spasm	1000 Hz x 2 minutes per spasm	Pontinen's Principle
	Pain	500-1000 Hz for 3 minutes -----or 1000 Hz x 2-5 minutes	Systemic target (NRT) -----or Local targets
	Tissue Repair	250 Hz for 2 minutes or TARGET/DOSE -----and 50 Hz x 5 minutes	Local targets -----and Systemic target (PHT) at Carotid artery
	ROM	1000 Hz x 1 minute	@2-3 location around the joint line